



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/678,318	10/03/2000	William P. Stearns	TI-25833.1	8121
23494 7590 09/27/2007 TEXAS INSTRUMENTS INCORPORATED P O BOX 655474, M/S 3999 DALLAS, TX 75265			EXAMINER LANDAU, MATTHEW C	
			ART UNIT 2815	PAPER NUMBER
			NOTIFICATION DATE 09/27/2007	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspto@ti.com
uspto@dlemail.itg.ti.com



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

MAILED
SEP 27 2007
GROUP 2600

**BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES**

Paper No. 20070814

Application Number: 09/678,318
Filing Date: October 03, 2000
Appellant(s): STEARNS ET AL.

Jay M. Cantor
For Appellant

SECOND SUPPLEMENTAL EXAMINER'S ANSWER

This is in response to the remand from the Board of Patent Appeals and Interferences dated May 11, 2007 and in response to appellant's supplemental arguments filed June 4, 2007. This second supplemental examiner's answer includes an entire copy of the first supplemental examiner's answer as well as (1) a new drawing showing a detailed view of a portion of Ohsawa figure 3J, (2) supplemental explanation of how the drawing 3J reads on the claimed invention, (3) supplemental arguments in response to new arguments presented by appellant in their June 4, 2007 filing.

(1) *Real Party in Interest*

A statement identifying the real party in interest is contained in the brief.

(2) *Related Appeals and Interferences*

A statement identifying the related appeals and interferences which will directly affect or be directly affected by or have a bearing on the decision in the pending appeal is contained in the brief.

(3) *Status of Claims*

The statement of the status of the claims contained in the brief is correct.

(4) *Status of Amendments After Final*

No amendment after final has been filed.

(5) *Summary of Invention*

The summary of invention contained in the brief is correct.

(6) *Issues*

The appellant's statement of the issues in the brief is correct.

(7) *Grouping of Claims*

Appellant's brief includes a statement that claims 1 – 8, and 21 – 27 do not stand or fall together and provides reasons as set forth in 37 CFR 1.192(c)(7) and (c)(8).

(8) *Claims Appealed*

The copy of the appealed claims contained in the Appendix to the brief is correct.

(9) *Prior Art of Record*

5409865

Karnezos

4-1995

(10) *Grounds of Rejection*

The following ground(s) of rejection are applicable to the appealed claims:

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

Claims 1 – 2 and 20 – 21 are rejected under 35 U.S.C. 102(a) as being anticipated by Ohsawa (US 2001/0014491 A1).

Ohsawa discloses in figure 3j a method of laying out traces for connection of bond pads of a semiconductor chip to a ball grid array disposed on a substrate.

With regard to claim 1, Ohsawa discloses in figure 3j providing a substrate having a surface with a plurality of rows and columns of ball pads and having a solder ball secured to each of the ball pads. Ohsawa discloses in figure 3j providing a plurality of pairs of traces on the surface, each trace of each of the pairs of traces extending to a different one of the ball pads and extending to ball pads on a plurality of the rows and columns, each trace of each of the pair of traces being spaced from the other trace of the pair by up to a ball pitch, being maximized for identity in length and having up to one ball pitch difference in length and being maximized for parallelism and spacing.

With regard to claim 2, it is inherent in the method of Ohsawa that each of the traces of the pair is further maximized for identity in cross-sectional geometry.

With regards to claims 20 and 21, Ohsawa inherently discloses that the substrate is a printed wiring board substrate.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 3 – 4 and 22 – 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohsawa.

With regard to claims 3 – 4, Ohsawa does not disclose applying a differential signal pair to at least one of the pair of traces. Applying differential signal pairs is well known in the art. It would have been obvious to one of ordinary skill in the art at the time of the present invention to apply a differential signal pair to at least one of the pair of traces in order to have a lower output voltage from the pair as is well known in the art.

With regards to claims 22 – 23, Ohsawa inherently discloses that the substrate is a printed wiring board substrate.

Claims 5 – 8 and 24 – 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohsawa as applied to claims 1 – 4, respectively, above, and further in view of Karnezos (USPAT 5409865, Karnezos).

With regard to claims 5 – 8, Ohsawa does not disclose including a step of providing a further surface insulated from the surface with some of the traces being on the further surface. Karnezos teaches in the abstract section a step of providing a further surface insulated from a

Art Unit: 2816

surface of a substrate, a plurality of traces are disposed on the further surface. It would have been obvious to one of ordinary skill in the art at the time of the present invention to use the insulated further surface of Karnezos in the method of Ohsawa in order to provide a generally flexible dielectric film bearing a pattern of conductive traces as stated by Karnezos in the abstract.

With regards to claims 24 – 27, Ohsawa inherently discloses that the substrate is a printed wiring board substrate.

(11) Response to Argument

This is a Second Supplemental Examiner's Answer in response to the Remand to the Examiner dated May 11, 2007. For clarity, all arguments from the original Examiner's Answer dated June 18, 2003 and from the Supplemental Examiner's Answer dated August 20, 2004 are repeated. At the end of this argument section a clarified explanation is included specifically explaining how figure 3j of Ohsawa reads on the claimed invention and addressing new arguments raised by appellant in their Response to Remand dated 6/4/07. Only the previous rejection is further explained. No new grounds of rejection are made.

With regard to the appellant's argument that "a reading of the specification of Ohsawa and of that figure [3j] nowhere teaches or even remotely suggests the claimed step [represented in claim 1, part b], regardless of the examiner's allegations to the contrary," (bracketed words added for clarity), it should be noted that figure 3j of Ohsawa clearly depicts the claim limitations of claim 1. Appellant has not pointed out specifically how Ohsawa does not read on claimed subject matter. Instead appellant has stated "regardless of the examiner's allegations to the contrary." This statement is a clear indication that the appellant has not pointed out

Art Unit: 2816

specifically how the prior art fails to anticipate the claims. (Please see the new arguments for further clarification). Therefore, the appellant's arguments are not persuasive, and the rejection is proper.

With regard to the appellant's argument that "the Examiner states in the reasons for allowance in the parent application that 'Lee et al. fail to teach each trace of each pair [of] traces being spaced apart from the other trace of the pair by up to a ball pitch, being maximized for identity in length and having up to one ball pitch difference in length and being maximized for parallelism and spacing'," it is not clear how this statement relates to the rejection of the present claims in this application. A different examiner was assigned to the parent case, and Lee et al. is not a reference relied upon for the rejection of any claims in the present application. This argument clearly does not address how the prior art of Ohsawa and Karnezos has been applied to the claims. Therefore, the appellant's arguments are not persuasive, and the rejection is proper.

With regard to the appellant's argument that Ohsawa does not teach or suggest "each of the traces of the pair be further maximized for identity in cross-sectional geometry," it should be noted that Ohsawa clearly anticipates this limitation by inherency due to the fact that it is an intended use limitation. For example, each of the traces of the pair of traces in both the claims and in Ohsawa are intended to be used to maximize their identity in cross-sectional geometry. By simply existing as traces with a geometric cross-section, traces have an intended identity which fill out and maximize their existing cross-sectional geometry. For example, the traces do not have a smaller cross section than they define. Also, the applicant has not pointed out how the prior art fails to teach this limitation. Therefore, the appellant's arguments are not persuasive, and the rejection is proper.

With regard to the appellant's argument that Ohsawa does not teach or suggest such a combination "requiring that the substrate be a printed wiring board substrate," it should be noted that Ohsawa clearly anticipates this limitation by inherency due to the fact that figure 3j of Ohsawa has printed wires on a substrate that is a board. Further, the rejections of this limitation only relies on Ohsawa, and not on a combination as stated by the appellant. Also, the applicant has not pointed out how the prior art fails to teach this limitation. Therefore, the appellant's arguments are not persuasive, and the rejection is proper.

With regard to the appellant's argument that Ohsawa does not teach or suggest such a combination "requiring the step of applying a differential signal pair to at least one of a pair of the traces," it should be noted that Ohsawa and one of ordinary skill in the art clearly teach this limitation. The appellant has not given any indication that this limitation is not well known in the art. Because the appellant has not indicated otherwise, it can only be assumed that the limitation of requiring the step of applying a differential signal pair to at least one of a pair of the traces is well known in the art, and the combination is proper. Further, this limitation appears to be an intended use recitation. For example, at least one of a pair of the traces are intended to be used by applying a differential signal pair (a differential signal pair is an electrical signal applied to the traces). Also, the applicant has not pointed out how the prior art fails to teach this limitation. Therefore the appellant's arguments are not persuasive, and the rejection is proper.


With regard to the appellant's argument that Ohsawa, Karnezos or any proper combination of these references does not teach such a combination "requiring the step of providing a further surface insulated from the surface, a plurality of the traces being disposed on the further surface," it should be noted that Ohsawa and Karnezos clearly teach this limitation.

The appellant has not pointed out specific reasons why the proposed combination of references does not teach this limitation. Therefore the appellant's arguments are not persuasive, and the rejection is proper.

Clarified Explanation of figure 3j of Ohsawa:

On the following page, an enlarged portion of figure 3j of Ohsawa is reproduced with text boxes and arrows added by the examiner. The figures added text boxes and arrows indicate the following:

- Box 1 and the corresponding arrow shows an example of the ball pitch of Ohsawa. This is shown as the distance between equal points on adjacent ball pads and corresponds to the same definition of ball pitch as in appellant's specification (original specification page 2 lines 12-15)
- Box 2 and the corresponding arrow shows a length L1 along which the traces are parallel and have the same length
- Box 3 and the corresponding arrow shows a pair of traces spaced apart by up to one ball pitch
- Box 4 and the corresponding arrow shows the parallel portion of the pair of traces
- Box 5 and the corresponding arrow shows a second pair of traces



As reproduced above, figure 3j of Ohsawa is highlighted to show exactly how “each trace of each of said pair of traces being spaced from the other trace of said pair by up to a ball pitch, being maximized for identity in length and having up to one ball pitch difference in length and being maximized for parallelism and spacing.” Specifically, box 1 defines a ball pitch while boxes 3 and 4 show features of pairs of traces separated by up to a ball pitch. Box 2 show each trace of each of the pair of traces are “maximized for parallelism and spacing” in at least this portion of the trace as the traces run parallel in this bottom portion and are spaced from each other by the ball pitch. Box 3 further shows how each trace of each of the pair of traces is spaced apart by up to one ball pitch and has “up to one ball pitch difference in length.” The difference in length is due to the upper portion of the trace being angled in towards the center, however

Art Unit: 2816

ordinary geometry dictates that this difference in length is less than one ball pitch. Box 4 points out how each trace of each of the pair of traces are “spaced from the other trace of said pair by up to a ball pitch” and are “maximized for identity in length” as the parallel portions are spaced by the ball pitch and have equal lengths. Box 5 points out that other pairs of traces have these same features. In this manner, figure 3 of Ohsawa does reasonably teach the pairs of traces having the spacing, length and parallelism as claimed.

Further, appellant presents new arguments which are hereby addressed. None of the arguments are found persuasive.

Appellant states on page 3 lines 10-20 of their response that Ohwawa (assumed to be Ohsawa) does not include a statement that each of the traces of a pair are separated by up to a ball pitch and that nothing in Ohsawa reasonably appears to disclose this spacing. First, it is noted that Ohsawa does not need to explicitly state the exact language of appellants limitation. Figure 3J of Ohsawa reasonably show the claimed features and thus the reference as a whole reasonably teaches the claimed limitations. Appellant further argues that the drawings of Ohsawa are not to scale and thus cannot be relied upon as they are in the rejection. This is not persuasive. The drawings are not relied upon for any specific dimensions or measurements, merely for the structural relationships they reasonably convey to one of ordinary skill in the art. To argue that figures cannot be used for what they reasonably show, including relative structural relationships, robs the figures of any probative value. Appellant states that case law that has been in existence for more than 50 years supports their position, however they have cited no case law and the examiner is not aware of any case law that states that drawings cannot be used for what they reasonably show. In fact, MPEP 2125 indicates that drawings can be used as prior art

Art Unit: 2816

“for what they reasonably disclose and suggest to one of ordinary skill in the art.” *In re Aslanian*, 590 F.2d 911, 200 USPQ 500 (CCPA 1979). Appellants arguments merely take the position that the figures cannot be relied upon to show dimensions and do not present any substantive arguments of how the traces shown in Ohsawa do not meet the claimed limitations.

For these reasons, in combination with the Clarified Explanation of figure 3J of Ohsawa presented above, it is believed that the claims are not patentable.


For the above reasons, it is believed that the rejections should be sustained.

Respectfully submitted,



N. Drew Richards

Tom Thomas



Ken Parker

TEXAS INSTRUMENTS INCORPORATED
P O BOX 655474, M/S 3999
DALLAS, TX 75265